

HVU M8 - M39

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Date of issue: 30/01/2019

Revision date: 30/01/2019

Supersedes: 15/03/2018

Version: 1.1

SECTION 1: Identification of the hazardous chemical and of the supplier

Product identifier

Generic name HVU M8 - M39
Product form Mixture
Chemical name Adhesive Capsule HVU
Product code BU Anchor



Other means of identification

No additional information available

Relevant identified uses of the substance or mixture and uses advised against

Recommended uses and restrictions For professional users only
Recommended use Adhesive anchor capsule for anchor fastening in concrete

Supplier's details

Supplier
Hilti (New Zealand) Ltd.
Level 1, Building B 600 South Road
Ellerslie
1051 Auckland - New Zealand
T +64 9 571 9995
, 800 444 584 toll free - F +64 9526 7780
servicenz@hilti.com

Department issuing data specification sheet
Hilti Entwicklungsgesellschaft mbH
Hiltistraße 6
86916 Kaufering - Deutschland
T +49 8191 906876
anchor.hse@hilti.com

Emergency number Schweizerisches Toxikologisches Informationszentrum – 24h Service
+41 44 251 51 51 (international)
+64 9 571 9995
; 800 444 584 toll free

Country	Organisation/Company	Address	Emergency number
New Zealand	National Poisons Centre		0800 623 000

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

SESK-1 6.5B: Skin Sens. 1
TORE-1B 6.8A: Repr. 1B
AEAH-2 9.1D: Aquatic Acute 2
AECH-2 9.1B: Aquatic Chronic 2

2.2. Label elements

Hazard pictograms (GHS NZ)



Signal word (GHS NZ) Danger
Contains 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol; 2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester; dibenzoyl peroxide; dicyclohexyl phthalate
Hazard statements (GHS NZ) H317 - May cause an allergic skin reaction.

HVU M8 - M39

Safety Data Sheet

Precautionary statements (GHS NZ)

H360 - May damage the unborn child.
H411 - Toxic to aquatic life with long lasting effects.
P280 - Wear eye protection, protective clothing, protective gloves.
P262 - Do not get in eyes, on skin, or on clothing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352 - IF ON SKIN: Wash with plenty of water/...
P337+P313 - If eye irritation persists: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards not contributing to the classification

No additional information available

SECTION 3: Composition and information of the ingredients of the hazardous chemical

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	Classification according to the United Nations GHS (Rev. 4, 2011)
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol	(CAS-No.) 27813-02-1	5 - 10	6.4A: Eye Irrit. 2A, H319 6.5B: Skin Sens. 1, H317
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	(CAS-No.) 2082-81-7	5 - 10	6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
dibenzoyl peroxide	(CAS-No.) 94-36-0	1 - 2.5	5.2B: Org. Perox. B, H241 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1A: Aquatic Acute 1, H400 (M=10) 9.1A: Aquatic Chronic 1, H410 (M=10)
dicyclohexyl phthalate	(CAS-No.) 84-61-7	1 - 2.5	Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) 6.5B: Skin Sens. 1, H317 6.8A: Repr. 1B, H360 Aquatic Acute Not classified 9.1C: Aquatic Chronic 3, H412
1,1'-(p-tolylimino)dipropen-2-ol	(CAS-No.) 38668-48-3	0.1 - 1	9.3A: Ecotoxicity to terrestrial vertebrates A, H431 6.1B: Acute Tox. 2 (Oral), H300 6.4A: Eye Irrit. 2A, H319 9.1D: Aquatic Acute 3, H402 9.1C: Aquatic Chronic 3, H412

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

Remove person to fresh air and keep comfortable for breathing. Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact

Wash contaminated clothing before reuse. Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion

Rinse mouth. Drink plenty of water. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

HVU M8 - M39

Safety Data Sheet

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	May cause an allergic skin reaction.
Symptoms/effects after eye contact	May cause severe irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment	Treat symptomatically.
-----------------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

General measures	Spilled material may present a slipping hazard.
------------------	---

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	Spilled material may present a slipping hazard.
6.1.1. For non-emergency personnel	
Emergency procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	Collect spillage.
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product. Store away from other materials.

SECTION 7: Handling and storage, including how the chemical may be safely used

7.1. Precautions for safe handling

HVU M8 - M39

Safety Data Sheet

Precautions for safe handling

Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures

Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Keep cool. Protect from sunlight. Expiry date: See date printed on box and capsule. Do not use if expiry date has been exceeded!.

Incompatible products

Strong bases. Strong acids.

Incompatible materials

Sources of ignition. Direct sunlight.

Storage temperature

5 - 25 °C

Heat and ignition sources

Keep away from heat and direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

dibenzoyl peroxide (94-36-0)		
New Zealand	Local name	Benzoyl peroxide
New Zealand	TWA (mg/m ³)	5 mg/m ³
New Zealand	Regulatory reference	Workplace Exposure Standards and Biological Exposure Indices, 9th Edition
dicyclohexyl phthalate (84-61-7)		
New Zealand	Local name	Dicyclohexyl phthalate
New Zealand	TWA (mg/m ³)	5 mg/m ³
New Zealand	Regulatory reference	Workplace Exposure Standards and Biological Exposure Indices, 9th Edition

Exposure limit values for the other components

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

No additional information available

8.4. Individual protection measures, such as personal protective equipment (PPE)

No additional information available

Hand protection

Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN 374

Eye protection

Wear security glasses which protect from splashes

Type	Use	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

HVU M8 - M39

Safety Data Sheet

Skin and body protection



Wear suitable protective clothing

Environmental exposure controls

Avoid release to the environment.

Consumer exposure controls

Avoid contact during pregnancy/while nursing.

SECTION 9: Physical and chemical properties

Physical state	Solid
Appearance	foil capsule.
Colour	resin: yellowish liquid hardener: white powder characteristic
Odour	
Odour threshold	No data available
pH	No data available
Evaporation rate	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point / Freezing point	No data available
Boiling point	No data available
Flash point	> 101 °C (DIN EN ISO 1523)
Auto-ignition temperature	No data available
Flammability (solid, gas)	No data available
Vapour pressure	Vapour pressure : 0.1 hPa
Relative density	No data available
Density	No data available
Solubility	insoluble in water.
Log Pow	No data available
Viscosity	Viscosity, kinematic : 20 Seconds (ISO 2431)
Explosive properties	No data available
Explosive limits	No data available
Minimum ignition energy	No data available
SADT	55 °C dibenzoyl peroxide

SECTION 10: Stability and reactivity

Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No additional information available.
Conditions to avoid	Direct sunlight. Extremely high or low temperatures.
Incompatible materials	Strong acids. Strong bases.
Hazardous decomposition products	fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

HVU M8 - M39

Safety Data Sheet

2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >=2000 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rabbit	>= 5000 mg/kg bodyweight (Rabbit; Experimental value)
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
LD50 oral rat	10066 mg/kg
LD50 dermal rat	> 3000 mg/kg
1,1'-(p-tolylimino)diprop-2-ol (38668-48-3)	
LD50 oral rat	25 mg/kg
LD50 dermal rat	> 2000 mg/kg
dicyclohexyl phthalate (84-61-7)	
LD50 oral rat	41400 mg/kg (Rat)
LD50 dermal rabbit	> 7940 mg/kg (Rabbit)
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	May damage the unborn child..
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity	Toxic to aquatic life.
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects.
Soil toxicity	Not classified
Terrestrial vertebrate toxicity	Not classified
Terrestrial invertebrate toxicity	Not classified

2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
LC50 fish 1	493 mg/l (48 h; Leuciscus idus; GLP)
EC50 Daphnia 1	> 143 mg/l (48 h; Daphnia magna; GLP)
EC50 72h algae (1)	> 97.2 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
BCF fish 1	<= 100
BCF fish 2	3.2 Quantitative structure-activity relationship (QSAR)
Log Pow	0.97 (OECD 102 method)
LD50 dermal rabbit	>= 5000 mg/kg bodyweight (Rabbit; Experimental value)
LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >=2000 mg/kg bodyweight; Rat; Experimental value)
Threshold limit algae 1	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
Threshold limit algae 2	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
LC50 fish 1	32.5 mg/l
LC50 other aquatic organisms 1	9.79 mg/l
NOEC (acute)	7.51 mg/l
NOEC (chronic)	20 mg/l
Log Pow	3.1
	> 3000 mg/kg

HVU M8 - M39

Safety Data Sheet

2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
LD50 oral rat	10066 mg/kg
1,1'-(p-tolylimino)dipropen-2-ol (38668-48-3)	
LC50 fish 1	≈ 17 mg/l
LC50 other aquatic organisms 1	245 mg/l
EC50 Daphnia 1	28.8 mg/l
NOEC (acute)	57.8 mg/l
BCF fish 1	≈
Log Kow	2.1
	> 2000 mg/kg
LD50 oral rat	25 mg/kg
dibenzoyl peroxide (94-36-0)	
LC50 fish 2	0.0602 mg/l (96h; Oncorhynchus mykiss; ECHA)
EC50 Daphnia 1	0.11 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
NOEC (acute)	0.0316 mg/l (96h; Oncorhynchus mykiss; ECHA)
NOEC chronic fish	< 0.001
Log Pow	3.71
Log Koc	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
dicyclohexyl phthalate (84-61-7)	
LC50 fish 1	> 10000 mg/l (96 h; Brachydanio rerio; Static system)
LC50 other aquatic organisms 1	1.04 mg/l
NOEC (acute)	> 2 mg/l
NOEC chronic crustacea	0.181 mg/l
BCF fish 1	640 (Pisces)
Log Pow	3 - 6.2
LD50 dermal rabbit	> 7940 mg/kg (Rabbit)
LD50 oral rat	41400 mg/kg (Rat)

12.2. Persistence and degradability

HVU M8 - M39	
Persistence and degradability	No additional information available
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
Not rapidly degradable	
Persistence and degradability	Readily biodegradable in water.
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
Not rapidly degradable	
Biodegradation	84 %
dibenzoyl peroxide (94-36-0)	
Persistence and degradability	Readily biodegradable in water. Not established. May cause long-term adverse effects in the environment.
dicyclohexyl phthalate (84-61-7)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water.
ThOD	2.376 g O ₂ /g substance

12.3. Bioaccumulative potential

HVU M8 - M39	
Bioaccumulative potential	
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
BCF fish 1	See section 12.1 on ecotoxicology
BCF fish 2	See section 12.1 on ecotoxicology
Log Pow	See section 12.1 on ecotoxicology
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).

HVU M8 - M39

Safety Data Sheet

2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
Log Pow	See section 12.1 on ecotoxicology
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
BCF fish 1	See section 12.1 on ecotoxicology
Log Kow	See section 12.1 on ecotoxicology
dibenzoyl peroxide (94-36-0)	
Log Pow	See section 12.1 on ecotoxicology
Log Koc	See section 12.1 on ecotoxicology
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).
dicyclohexyl phthalate (84-61-7)	
BCF fish 1	See section 12.1 on ecotoxicology
Log Pow	See section 12.1 on ecotoxicology
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).

12.4. Mobility in soil

HVU M8 - M39	
Mobility in soil	No additional information available
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
Log Pow	See section 12.1 on ecotoxicology
Ecology - soil	Low potential for adsorption in soil.
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
Log Pow	See section 12.1 on ecotoxicology
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
Log Kow	See section 12.1 on ecotoxicology
dibenzoyl peroxide (94-36-0)	
Log Pow	See section 12.1 on ecotoxicology
Log Koc	See section 12.1 on ecotoxicology
Ecology - soil	Adsorbs into the soil.
dicyclohexyl phthalate (84-61-7)	
Log Pow	See section 12.1 on ecotoxicology

12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available

SECTION 13: Disposal considerations

Product/Packaging disposal recommendations	After curing, the product can be disposed of with household waste. . Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IATA / IMDG / RID

Other information	No supplementary information available
-------------------	--

ADR Regulatory status: Not regulated
IMDG Regulatory status: Not regulated
IATA Regulatory status: Not regulated
RID Regulatory status: Not regulated

HVU M8 - M39

Safety Data Sheet

ADR	IMDG	IATA	RID
14.1. UN number			
Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
Environmentally hazardous substances derogation applies (quantity of liquids \leq 5 litres or net mass of solids \leq 5 kg)			
No supplementary information available			

14.6. Special precautions for user

- Overland transport

- Transport by sea

No data available

- Air transport

No data available

- Rail transport

Carriage prohibited (RID) No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

HSNO Approval Number HSR002544

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

SDS Major/Minor None
Date of issue 30/01/2019
Revision date 30/01/2019
Supersedes 15/03/20180

Indication of changes:

Section	Changed item	Change	Comments
2.1	GHS NZ classification	Modified	
2.2	Hazard pictograms (GHS NZ)	Added	
2.2	Hazard statements (GHS NZ)	Added	
3	Composition/information on ingredients	Modified	

HVU M8 - M39

Safety Data Sheet

Other information

None.

Full text of H-statements:

5.2B: Org. Perox. B	5.2B: Organic Peroxides, Type B
6.1B: Acute Tox. 2 (Oral)	6.1B: Acute toxicity (oral), Category 2
6.4A: Eye Irrit. 2	6.4A: Serious eye damage/eye irritation, Category 2
6.4A: Eye Irrit. 2A	6.4A: Serious eye damage/eye irritation, Category 2A
6.5B: Skin Sens. 1	6.5B: Skin sensitisation, Category 1
6.8A: Repr. 1B	6.8A: Reproductive toxicity, Category 1B
9.1A: Aquatic Acute 1	9.1A: Hazardous to the aquatic environment — Acute Hazard, Category 1
9.1A: Aquatic Chronic 1	9.1A: Hazardous to the aquatic environment — Chronic Hazard, Category 1
9.1B: Aquatic Chronic 2	9.1B: Hazardous to the aquatic environment — Chronic Hazard, Category 2
9.1C: Aquatic Chronic 3	9.1C: Hazardous to the aquatic environment — Chronic Hazard, Category 3
9.1D: Aquatic Acute 2	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 2
9.1D: Aquatic Acute 3	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 3
9.3A: Ecotoxicity to terrestrial vertebrates A	9.3A: Ecotoxicity to terrestrial vertebrates A
Acute Tox. Not classified (Dermal)	Acute toxicity (dermal) Not classified
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Aquatic Acute Not classified	Hazardous to the aquatic environment - Acute Hazard Not classified
H241	Heating may cause a fire or explosion.
H300	Fatal if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H360	May damage fertility or the unborn child.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H431	Very toxic to terrestrial vertebrates

SDS_NZ_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product