

# HIT-HY 200-R V3

## Safety information for 2-Component-products

Issue date: 27/01/2021

Revision date: 27/01/2021

Supersedes: 13/01/2021

Version: 1.1

### SECTION 1: Kit identification

#### 1.1 Product identifier

Product name

HIT-HY 200-R V3



Product code

BU Anchor

#### 1.2 Details of the supplier of the Safety information for 2-Component-products

Hilti (New Zealand) Ltd.  
Level 1, Building B 600 South Road  
Ellerslie  
1051 Auckland - New Zealand  
T +64 9 571 9995  
, 800 444 584 toll free - F +64 9526 7780  
[servicenz@hilti.com](mailto:servicenz@hilti.com)

### SECTION 2: General information

Storage

Storage temperature : 5 - 25 °C

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

This Kit should be handled in accordance with good laboratory practices and appropriate personal protective equipment should be used

### SECTION 3:

#### Classification of the Product

##### 2.1. Classification of the substance or mixture

SKCO-2  
SESK-1  
AEAH-1  
AECH-1

6.3A: Skin Irrit. 2  
6.5B: Skin Sens. 1  
9.1A: Aquatic Acute 1  
9.1A: Aquatic Chronic 1

##### 2.2. Label elements

Hazard pictograms (GHS NZ)



GHS07

GHS09

Signal word (GHS NZ)

Warning

Hazard statements (GHS NZ)

H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (GHS NZ)

P280 - Wear eye protection, protective clothing, protective gloves.  
P262 - Do not get in eyes, on skin, or on clothing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P302+P352 - IF ON SKIN: Wash with plenty of water/...

# HIT-HY 200-R V3

## Safety information for 2-Component-products


P337+P313 - If eye irritation persists: Get medical advice/attention.  
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

### 2.3. Other hazards not contributing to the classification

No additional information available

### Additional information

2-Component-foilpack, contains:  
 Component A: Urethane methacrylate resin, inorganic filler  
 Component B: Dibenzoyl peroxide, phlegmatized



Name	General description	Quantity	Unit	Classification according to the United Nations GHS
HIT-HY 200-R V3, A		1	pcs	Skin Sens. 1, H317
HIT-HY 200-R V3, B		1	pcs	Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

## SECTION 4: General advice

General advice For professional users only

## SECTION 5: Safe handling advice

General measures	Spilled material may present a slipping hazard
Environmental precautions	Prevent entry to sewers and public waters Notify authorities if liquid enters sewers or public waters
Storage conditions	Keep cool. Protect from sunlight.
Precautions for safe handling	Wear personal protective equipment Avoid contact with skin and eyes Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work Provide good ventilation in process area to prevent formation of vapour
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation Mechanically recover the product Store away from other materials.
For containment	Collect spillage.
Incompatible materials	Sources of ignition Direct sunlight
Incompatible products	Strong bases Strong acids

## SECTION 6: First aid measures

First-aid measures after eye contact	Rinse immediately with plenty of water Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists
First-aid measures after ingestion	Rinse mouth Get medical advice/attention. Do not induce vomiting Obtain emergency medical attention
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air

# HIT-HY 200-R V3

## Safety information for 2-Component-products

---

First-aid measures after skin contact	Allow the victim to rest Wash contaminated clothing before reuse. Wash with plenty of water/... If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person If you feel unwell, seek medical advice (show the label where possible)
Symptoms/effects after eye contact	May cause severe irritation
Symptoms/effects after skin contact	May cause an allergic skin reaction.

### SECTION 7: Fire fighting measures

Firefighting instructions	Use water spray or fog for cooling exposed containers Exercise caution when fighting any chemical fire Prevent fire fighting water from entering the environment
Protection during firefighting	Self-contained breathing apparatus Do not enter fire area without proper protective equipment, including respiratory protection
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide Carbon monoxide

### SECTION 8: Other information

No data available

# HIT-HY 200-R V3, B

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Issue date: 27/01/2021

Revision date: 27/01/2021

Supersedes: 13/01/2021

Version: 1.1

### SECTION 1: Identification of the hazardous chemical and of the supplier

#### 1.1 Product identifier

Product name	HIT-HY 200-R V3, B
Product form	Mixture
Product code	BU Anchor

#### 1.2 Other means of identification

No additional information available

#### 1.3 Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Composite mortar component for fasteners in the construction industry
Restrictions on use	For professional use only

#### 1.4 Supplier's details

##### Supplier

Hilti (New Zealand) Ltd.  
Level 1, Building B 600 South Road  
Ellerslie  
1051 Auckland - New Zealand  
T +64 9 571 9995  
, 800 444 584 toll free - F +64 9526 7780  
[servicenz@hilti.com](mailto:servicenz@hilti.com)

##### Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH  
Hiltistraße 6  
86916 Kaufering - Deutschland  
T +49 8191 906876  
[anchor.hse@hilti.com](mailto:anchor.hse@hilti.com)

#### 1.5. Emergency phone number

Emergency number	Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international) +64 9 571 9995 ; 800 444 584 toll free
------------------	--

Country	Organisation/Company	Address	Emergency number
New Zealand	National Poisons Centre		0800 623 000

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

6.4A	Serious eye damage/eye irritation, Category 2
6.5B	Skin sensitisation, Category 1
9.1A	Hazardous to the aquatic environment — Acute Hazard, Category 1
9.1A	Hazardous to the aquatic environment — Chronic Hazard, Category 1

#### 2.2. Label elements

##### GHS NZ labelling

Hazard pictograms (GHS NZ)



GHS07

GHS09

Signal word (GHS NZ)

Warning

Contains

dibenzoyl peroxide (10 – 25 %)

Hazard statements (GHS NZ)

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H410 - Very toxic to aquatic life with long lasting effects.

# HIT-HY 200-R V3, B

## Safety Data Sheet

Prevention	P280 - Wear eye protection, protective clothing, protective gloves. P262 - Do not get in eyes, on skin, or on clothing.
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P352 - IF ON SKIN: Wash with plenty of water/... P337+P313 - If eye irritation persists: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

### 2.3. Other hazards not contributing to the classification

No additional information available

## SECTION 3: Composition and information of the ingredients of the hazardous chemical

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	Conc.	Classification according to GHS NZ
dibenzoyl peroxide	(CAS-No.) 94-36-0	10 – 25	5.2B: Org. Perox. B, H241 6.4A: Eye Irrit. 2, H319 6.5B: Skin Sens. 1, H317 9.1A: Aquatic Acute 1, H400 (M=10) 9.1A: Aquatic Chronic 1, H410 (M=10)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	May cause an allergic skin reaction.
Symptoms/effects after eye contact	May cause severe irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

General measures	Spilled material may present a slipping hazard.
------------------	---

# HIT-HY 200-R V3, B

## Safety Data Sheet

Hazardous decomposition products in case of fire Thermal decomposition generates : Carbon dioxide. Carbon monoxide.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures Spilled material may present a slipping hazard.

**6.1.1. For non-emergency personnel**

Emergency procedures Evacuate unnecessary personnel.

**6.1.2. For emergency responders**

Protective equipment Use personal protective equipment as required. Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment Collect spillage.

Methods for cleaning up This material and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product. Store away from other materials.

## SECTION 7: Handling and storage, including how the chemical may be safely used

### 7.1. Precautions for safe handling

Precautions for safe handling Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep cool. Protect from sunlight.

Incompatible products Strong bases. Strong acids.

Incompatible materials Sources of ignition. Direct sunlight.

Storage temperature 5 – 25 °C

Heat and ignition sources Keep away from heat and direct sunlight.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

HIT-HY 200-R V3, B	
New Zealand - Occupational Exposure Limits	
Local name	Benzoyl peroxide
TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Remark (NZ)	dsen (Dermal sensitiser)

# HIT-HY 200-R V3, B

## Safety Data Sheet

<b>HIT-HY 200-R V3, B</b>	
Regulatory reference	Workplace Exposure Standards and Biological Exposure Indices, 12th Edition
<b>dibenzoyl peroxide (94-36-0)</b>	
<b>New Zealand - Occupational Exposure Limits</b>	
Local name	Benzoyl peroxide
TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Regulatory reference	Workplace Exposure Standards and Biological Exposure Indices, 11th Edition

### Exposure limit values for the other components

Additional information The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

### 8.2. Monitoring

No additional information available

### 8.3. Appropriate engineering controls

Appropriate engineering controls Ensure good ventilation of the work station.

### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

Eye protection Wear security glasses which protect from splashes

Type	Use	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

Skin and body protection Wear suitable protective clothing

Personal protective equipment symbol(s)



Environmental exposure controls No specific measures are required provided the product is handled in accordance with the general rules of occupational hygiene and safety.

Consumer exposure controls Avoid contact during pregnancy/while nursing.

## SECTION 9: Physical and chemical properties

Physical state	Solid
Appearance	Thixotropic paste.
Colour	No data available
Odour	No data available
Odour threshold	Not determined
pH	No data available
Evaporation rate	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point / Freezing point	No data available

# HIT-HY 200-R V3, B

## Safety Data Sheet

Boiling point	No data available
Flash point	No data available
Auto-ignition temperature	Not self-igniting
Flammability (solid, gas)	Non flammable.
Vapour pressure	No data available
Relative density	No data available
Density	Density : 1.9 g/ml AW 4.3.23
Solubility	Water : Not miscible
Partition coefficient n-octanol/water (Log Pow)	No data available
Viscosity, kinematic	21052.632 mm <sup>2</sup> /s
Viscosity, dynamic	40 Pa·s HN-0333
Explosive properties	Product is not explosive.
Explosive limits	No data available
Minimum ignition energy	No data available
SADT	65 °C

### SECTION 10: Stability and reactivity

Reactivity	No additional information available
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No additional information available.
Conditions to avoid	Direct sunlight. Extremely high or low temperatures.
Incompatible materials	Strong acids. Strong bases.
Hazardous decomposition products	fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified

<b>HIT-HY 200-R V3, B</b>	
Viscosity, kinematic	21052.632 mm <sup>2</sup> /s
Potential adverse human health effects and symptoms	No additional information available.



# HIT-HY 200-R V3, B

## Safety Data Sheet

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	Very toxic to aquatic life with long lasting effects.
Soil toxicity	Not classified
Terrestrial vertebrate toxicity	Not classified
Terrestrial invertebrate toxicity	Not classified
Other information	Avoid release to the environment.

<b>dibenzoyl peroxide (94-36-0)</b>	
LC50 fish 2	0.0602 mg/l (96h; Oncorhynchus mykiss; ECHA)
EC50 Daphnia 1	0.11 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	0.0711 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	0.0711 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
NOEC (acute)	0.0316 mg/l (96h; Oncorhynchus mykiss; ECHA)
NOEC chronic fish	0.001 mg/l
Partition coefficient n-octanol/water (Log Pow)	3.71
Partition coefficient n-octanol/water (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)

#### 12.2. Persistence and degradability

<b>HIT-HY 200-R V3, B</b>	
Persistence and degradability	Not established.

<b>dibenzoyl peroxide (94-36-0)</b>	
Persistence and degradability	Readily biodegradable in water. Not established. May cause long-term adverse effects in the environment.

#### 12.3. Bioaccumulative potential

<b>HIT-HY 200-R V3, B</b>	
Bioaccumulative potential	Not established.

<b>dibenzoyl peroxide (94-36-0)</b>	
Partition coefficient n-octanol/water (Log Pow)	3.71
Partition coefficient n-octanol/water (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).

#### 12.4. Mobility in soil

<b>HIT-HY 200-R V3, B</b>	
Mobility in soil	No additional information available

<b>dibenzoyl peroxide (94-36-0)</b>	
Surface tension	No data available (test not performed)
Partition coefficient n-octanol/water (Log Pow)	3.71
Partition coefficient n-octanol/water (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.

#### 12.5. Other adverse effects

Ozone	Not classified
-------	----------------

# HIT-HY 200-R V3, B

## Safety Data Sheet

Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

Product/Packaging disposal recommendations

After curing, the product can be disposed of with household waste. . Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials

Avoid release to the environment.

### SECTION 14: Transport information

In accordance with ADR / IATA / IMDG / RID

ADR	IMDG	IATA	RID
<b>14.1. UN number</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.2. UN proper shipping name</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>			
Not regulated	Not regulated	Not regulated	Not regulated
Environmentally hazardous substances derogation applies (quantity of liquids ≤ 5 litres or net mass of solids ≤ 5 kg). The environmentally hazardous substance mark is therefore not required, as stated in the ADR regulation, section 5.2.1.8.1.			
No supplementary information available			

#### 14.6. Special precautions for user

**Overland transport**

Not regulated

**Transport by sea**

Not regulated

**Air transport**

Not regulated

**Rail transport**

Not regulated

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### 14.8. Hazchem or Emergency Action Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health, and environmental national regulations specific for the product

**Hazardous Substances and New Organisms Act**

HSNO Approval Number

HSR002544

#### 15.2. Chemical safety assessment

No additional information available

# HIT-HY 200-R V3, B

## Safety Data Sheet

### SECTION 16: Other information

SDS Major/Minor	None
Issue date	27/01/2021
Revision date	27/01/2021
Supersedes	13/01/20210

Indication of changes:

Section	Changed item	Change	Comments
1	Emergency number	Added	

Abbreviations and acronyms

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ATE - Acute Toxicity Estimate  
 BCF - Bioconcentration factor  
 CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008  
 DMEL - Derived Minimal Effect level  
 DNEL - Derived-No Effect Level  
 EC50 - Median effective concentration  
 IARC - International Agency for Research on Cancer  
 IATA - International Air Transport Association  
 IMDG - International Maritime Dangerous Goods  
 LC50 - Median lethal concentration  
 LD50 - Median lethal dose  
 LOAEL - Lowest Observed Adverse Effect Level  
 NOAEC - No-Observed Adverse Effect Concentration  
 NOAEL - No-Observed Adverse Effect Level  
 NOEC - No-Observed Effect Concentration  
 OECD - Organisation for Economic Co-operation and Development  
 PBT - Persistent Bioaccumulative Toxic  
 PNEC - Predicted No-Effect Concentration  
 REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006  
 RID - Regulations concerning the International Carriage of Dangerous Goods by Rail  
 SDS - Safety Data Sheet  
 vPvB - Very Persistent and Very Bioaccumulative  
 None.

Other information

Full text of H-statements:

5.2B: Org. Perox. B	5.2B: Organic Peroxides, Type B
6.4A: Eye Irrit. 2	6.4A: Serious eye damage/eye irritation, Category 2
6.5B: Skin Sens. 1	6.5B: Skin sensitisation, Category 1
9.1A: Aquatic Acute 1	9.1A: Hazardous to the aquatic environment — Acute Hazard, Category 1
9.1A: Aquatic Chronic 1	9.1A: Hazardous to the aquatic environment — Chronic Hazard, Category 1
H241	Heating may cause a fire or explosion.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.



# HIT-HY 200-R V3, B

## Safety Data Sheet

---

SDS\_NZ\_Hilti

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

# HIT-HY 200-R V3, A

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Issue date: 27/01/2021

Revision date: 27/01/2021

Supersedes: 13/01/2021

Version: 1.1

### SECTION 1: Identification of the hazardous chemical and of the supplier

#### 1.1 Product identifier

Product name HIT-HY 200-R V3, A  
 Product form Mixture  
 Product code BU Anchor

#### 1.2 Other means of identification

No additional information available

#### 1.3 Relevant identified uses of the substance or mixture and uses advised against

Recommended use Composite mortar component for fasteners in the construction industry  
 Restrictions on use For professional use only

#### 1.4 Supplier's details

##### Supplier

Hilti (New Zealand) Ltd.  
 Level 1, Building B 600 South Road  
 Ellerslie  
 1051 Auckland - New Zealand  
 T +64 9 571 9995  
 , 800 444 584 toll free - F +64 9526 7780  
[servicenz@hilti.com](mailto:servicenz@hilti.com)

##### Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH  
 Hiltistraße 6  
 86916 Kaufering - Deutschland  
 T +49 8191 906876  
[anchor.hse@hilti.com](mailto:anchor.hse@hilti.com)

#### 1.5. Emergency phone number

Emergency number Schweizerisches Toxikologisches Informationszentrum – 24h Service  
 +41 44 251 51 51 (international)  
 +64 9 571 9995  
 ; 800 444 584 toll free

Country	Organisation/Company	Address	Emergency number
New Zealand	National Poisons Centre		0800 623 000

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

6.5B Skin sensitisation, Category 1

#### 2.2. Label elements

##### GHS NZ labelling

Hazard pictograms (GHS NZ)



GHS07

Signal word (GHS NZ)

Warning

Contains

2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (10 – 25 %) ; 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (5 – 10 %)

Hazard statements (GHS NZ)

H317 - May cause an allergic skin reaction.

Prevention

P280 - Wear eye protection, protective clothing, protective gloves.  
 P262 - Do not get in eyes, on skin, or on clothing.

Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# HIT-HY 200-R V3, A

## Safety Data Sheet

P302+P352 - IF ON SKIN: Wash with plenty of water/...  
 P337+P313 - If eye irritation persists: Get medical advice/attention.  
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

### 2.3. Other hazards not contributing to the classification

No additional information available

## SECTION 3: Composition and information of the ingredients of the hazardous chemical

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	Conc.	Classification according to GHS NZ
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	(CAS-No.) 2082-81-7	10 – 25	Acute Tox. Not classified (Oral) 6.5B: Skin Sens. 1, H317
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol	(CAS-No.) 27813-02-1	5 – 10	Flam. Liq. Not classified Acute Tox. Not classified (Oral) 6.4A: Eye Irrit. 2A, H319 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402 9.1C: Aquatic Chronic 3, H412
1,1'-(p-tolylimino)dipropan-2-ol	(CAS-No.) 38668-48-3	0.1 – 1	9.3A: Ecotoxicity to terrestrial vertebrates A, H431 6.1B: Acute Tox. 2 (Oral), H300 6.4A: Eye Irrit. 2A, H319 9.1D: Aquatic Acute 3, H402 9.1C: Aquatic Chronic 3, H412
2,2'-(m-tolylimino)diethanol	(CAS-No.) 91-99-6	0.1 – 1	6.1C: Acute Tox. 3 (Oral), H301 6.1D: Acute Tox. 4 (Dermal), H312 6.3A: Skin Irrit. 2, H315

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general      Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).  
 First-aid measures after inhalation      Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact      May cause an allergic skin reaction.  
 Symptoms/effects after eye contact      May cause severe irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media      Water spray. Carbon dioxide. Dry powder. Foam. Sand.  
 Unsuitable extinguishing media      Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

General measures      Spilled material may present a slipping hazard.  
 Hazardous decomposition products in case of fire      Thermal decomposition generates : Carbon dioxide. Carbon monoxide.

# HIT-HY 200-R V3, A

## Safety Data Sheet

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures Spilled material may present a slipping hazard.

#### 6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment Use personal protective equipment as required. Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment Collect spillage.

Methods for cleaning up This material and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product. Store away from other materials.

## SECTION 7: Handling and storage, including how the chemical may be safely used

### 7.1. Precautions for safe handling

Precautions for safe handling Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep cool. Protect from sunlight.

Incompatible products Strong bases. Strong acids.

Incompatible materials Sources of ignition. Direct sunlight.

Storage temperature 5 – 25 °C

Heat and ignition sources Keep away from heat and direct sunlight.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

#### Exposure limit values for the other components

Additional information The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

# HIT-HY 200-R V3, A

## Safety Data Sheet

### 8.2. Monitoring

No additional information available

### 8.3. Appropriate engineering controls

Appropriate engineering controls                      Ensure good ventilation of the work station.

### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection    Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

Eye protection    Wear security glasses which protect from splashes

Type	Use	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

Skin and body protection                              Wear suitable protective clothing

Personal protective equipment symbol(s)



Environmental exposure controls                      Not applicable.

Consumer exposure controls                              Avoid contact during pregnancy/while nursing.

## SECTION 9: Physical and chemical properties

Physical state	Solid
Appearance	Thixotropic paste.
Colour	No data available
Odour	No data available
Odour threshold	Not determined
pH	No data available
Evaporation rate	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point / Freezing point	No data available
Boiling point	No data available
Flash point	> 109 °C DIN EN ISO 1523
Auto-ignition temperature	Not self-igniting
Flammability (solid, gas)	Non flammable.
Vapour pressure	No data available
Relative density	No data available
Density	Density : 1.8 g/ml AW 4.3.23
Solubility	Water : Not miscible
Partition coefficient n-octanol/water (Log Pow)	No data available
Viscosity, kinematic	27777.778 mm <sup>2</sup> /s
Viscosity, dynamic	50 Pa·s HN-0333
Explosive properties	Product is not explosive.
Explosive limits	No data available



# HIT-HY 200-R V3, A

## Safety Data Sheet

Minimum ignition energy No data available

### SECTION 10: Stability and reactivity

Reactivity	No additional information available
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No additional information available.
Conditions to avoid	Direct sunlight. Extremely high or low temperatures.
Incompatible materials	Strong acids. Strong bases.
Hazardous decomposition products	fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
LD50 oral rat	25 mg/kg
LD50 dermal rat	> 2000 mg/kg
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
LD50 oral rat	10066 mg/kg
LD50 dermal rat	> 3000 mg/kg
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >=2000 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rabbit	≥ 5000 mg/kg bodyweight (Rabbit; Experimental value)

Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified

HIT-HY 200-R V3, A	
Viscosity, kinematic	27777.778 mm <sup>2</sup> /s
Potential adverse human health effects and symptoms	No additional information available.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

# HIT-HY 200-R V3, A

## Safety Data Sheet

Soil toxicity	Not classified
Terrestrial vertebrate toxicity	Not classified
Terrestrial invertebrate toxicity	Not classified
Other information	Avoid release to the environment.

<b>1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)</b>	
LC50 fish 1	≈ 17 mg/l
LC50 other aquatic organisms 1	245 mg/l
EC50 Daphnia 1	28.8 mg/l
NOEC (acute)	57.8 mg/l
BCF fish 1	≈
Partition coefficient n-octanol/water (Log Kow)	2.1
	> 2000 mg/kg
LD50 oral rat	25 mg/kg

<b>2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)</b>	
LC50 other aquatic organisms 1	9.79 mg/l
NOEC (acute)	7.51 mg/l
NOEC (chronic)	20 mg/l
Partition coefficient n-octanol/water (Log Pow)	3.1
	> 3000 mg/kg
LD50 oral rat	10066 mg/kg

<b>2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)</b>	
LC50 fish 1	493 mg/l (48 h; Leuciscus idus; GLP)
EC50 Daphnia 1	> 143 mg/l (48 h; Daphnia magna; GLP)
ErC50 (algae)	97.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	97.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
BCF fish 1	≤ 100
BCF fish 2	3.2 Quantitative structure-activity relationship (QSAR)
Partition coefficient n-octanol/water (Log Pow)	0.97 (OECD 102 method)
Partition coefficient n-octanol/water (Log Koc)	1.9 (log Koc, Calculated value)
LD50 dermal rabbit	≥ 5000 mg/kg bodyweight (Rabbit; Experimental value)
LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; ≥2000 mg/kg bodyweight; Rat; Experimental value)
Threshold limit algae 1	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
Threshold limit algae 2	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)

### 12.2. Persistence and degradability

<b>HIT-HY 200-R V3, A</b>	
Persistence and degradability	Not established.

<b>2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)</b>	
Not rapidly degradable	
Biodegradation	84 %

<b>2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)</b>	
Not rapidly degradable	
Persistence and degradability	Readily biodegradable in water.

### 12.3. Bioaccumulative potential

<b>HIT-HY 200-R V3, A</b>	
Bioaccumulative potential	Not established.

<b>1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)</b>	
BCF fish 1	≈
Partition coefficient n-octanol/water (Log Kow)	2.1

# HIT-HY 200-R V3, A

## Safety Data Sheet

<b>2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)</b>	
Partition coefficient n-octanol/water (Log Pow)	3.1
<b>2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)</b>	
BCF fish 1	≤ 100
BCF fish 2	3.2 Quantitative structure-activity relationship (QSAR)
Partition coefficient n-octanol/water (Log Pow)	0.97 (OECD 102 method)
Partition coefficient n-octanol/water (Log Koc)	1.9 (log Koc, Calculated value)
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).

### 12.4. Mobility in soil

<b>HIT-HY 200-R V3, A</b>	
Mobility in soil	No additional information available
<b>1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)</b>	
Partition coefficient n-octanol/water (Log Kow)	2.1
<b>2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)</b>	
Partition coefficient n-octanol/water (Log Pow)	3.1
<b>2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)</b>	
Partition coefficient n-octanol/water (Log Pow)	0.97 (OECD 102 method)
Partition coefficient n-octanol/water (Log Koc)	1.9 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.

### 12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available

## SECTION 13: Disposal considerations

Product/Packaging disposal recommendations	After curing, the product can be disposed of with household waste. . Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / IATA / IMDG / RID

ADR	IMDG	IATA	RID
<b>14.1. UN number</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.2. UN proper shipping name</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

# HIT-HY 200-R V3, A

## Safety Data Sheet

### Air transport

Not regulated

### Rail transport

Not regulated

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### 14.8. Hazchem or Emergency Action Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health, and environmental national regulations specific for the product

#### Hazardous Substances and New Organisms Act

HSNO Approval Number HSR002544

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

SDS Major/Minor None  
Issue date 27/01/2021  
Revision date 27/01/2021  
Supersedes 13/01/20210

Indication of changes:

Section	Changed item	Change	Comments
1	Emergency number	Added	

# HIT-HY 200-R V3, A

## Safety Data Sheet

### Abbreviations and acronyms

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ATE - Acute Toxicity Estimate  
 BCF - Bioconcentration factor  
 CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008  
 DMEL - Derived Minimal Effect level  
 DNEL - Derived-No Effect Level  
 EC50 - Median effective concentration  
 IARC - International Agency for Research on Cancer  
 IATA - International Air Transport Association  
 IMDG - International Maritime Dangerous Goods  
 LC50 - Median lethal concentration  
 LD50 - Median lethal dose  
 LOAEL - Lowest Observed Adverse Effect Level  
 NOAEC - No-Observed Adverse Effect Concentration  
 NOAEL - No-Observed Adverse Effect Level  
 NOEC - No-Observed Effect Concentration  
 OECD - Organisation for Economic Co-operation and Development  
 PBT - Persistent Bioaccumulative Toxic  
 PNEC - Predicted No-Effect Concentration  
 REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006  
 RID - Regulations concerning the International Carriage of Dangerous Goods by Rail  
 SDS - Safety Data Sheet  
 vPvB - Very Persistent and Very Bioaccumulative  
 None.

### Other information

#### Full text of H-statements:

6.1B: Acute Tox. 2 (Oral)	6.1B: Acute toxicity (oral), Category 2
6.1C: Acute Tox. 3 (Oral)	6.1C: Acute toxicity (oral), Category 3
6.1D: Acute Tox. 4 (Dermal)	6.1D: Acute toxicity (dermal), Category 4
6.3A: Skin Irrit. 2	6.3A: Skin corrosion/irritation, Category 2
6.4A: Eye Irrit. 2A	6.4A: Serious eye damage/eye irritation, Category 2A
6.5B: Skin Sens. 1	6.5B: Skin sensitisation, Category 1
9.1C: Aquatic Chronic 3	9.1C: Hazardous to the aquatic environment — Chronic Hazard, Category 3
9.1D: Aquatic Acute 3	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 3
9.3A: Ecotoxicity to terrestrial vertebrates A	9.3A: Ecotoxicity to terrestrial vertebrates A
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Flam. Liq. Not classified	Flammable liquids Not classified
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.

# HIT-HY 200-R V3, A

## Safety Data Sheet

---

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects.
H431	Very toxic to terrestrial vertebrates

SDS\_NZ\_Hilti

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*