

CFS-S SIL / CP 601S

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Issue date: 12/11/2024

Revision date: 12/11/2024

Supersedes: 29/01/2019

Version: 2.3

SECTION 1: Identification

1.1 Product identifier

Product name CFS-S SIL / CP 601S
Product form Mixture
Type of product Sealants
Chemical structure



Product code BU Fire Protection

1.2 Other means of identification

No additional information available

1.3 Recommended use of the chemical and restrictions on use

Recommended use Adhesives, sealants

1.4 Details of manufacturer or importer

Supplier

Hilti (New Zealand) Ltd.
Level 1, Building B 600 South Road Ellerslie
Auckland 1051
New Zealand
T +64 9 571 9995
800 444 584 toll free - F +64 9526 7780
servicenz@hilti.com

Department issuing data specification sheet

Hilti AG
Feldkircherstraße 100
Schaan 9494
Liechtenstein
T +423 234 2111
product.compliance-fire.protection@hilti.com

1.5. Emergency phone number

Emergency number GBK GmbH Global Regulatory Compliance
+49 (0)6132-84463

Country	Organisation/Company	Address	Emergency number
New Zealand	National Poisons Centre		0800 764 766

SECTION 2: Hazard identification

2.1. Classification of the hazardous chemical

HSNO Approval Number HSR002544

Classification according to the Environmental Protection Authority notices (EPA Hazardous Substances and New Organisms Act 1996)

Not classified

2.2. GHS Label elements, including precautionary statements

GHS NZ labelling

No labelling applicable

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification Product hydrolyses under formation of methanol (CAS no. 67-56-1). Methanol is toxic by inhalation, in contact with skin and if swallowed. Methanol causes damage to organs. Methanol is highly flammable,

CFS-S SIL / CP 601S

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

SECTION 3: Composition and information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	Classification according to GHS NZ
diisobutoxy-bisethylacetoacetatitanate	CAS-No.: 83877-91-2	< 2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H336 STOT SE 3, H335

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Get medical advice/attention if you feel unwell. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Drink plenty of water. Do NOT induce vomiting. Get immediate medical advice/attention. Rinse mouth. Obtain emergency medical attention.

4.2. Symptoms caused by exposure

Symptoms/effects	Not expected to present a significant hazard under anticipated conditions of normal use.
------------------	--

4.3. Medical attention and special treatment

Other medical advice or treatment	Methanol (CAS 67-56-1) is readily and rapidly absorbed at all exposure routes and is toxic by all routes. Methanol may cause irritation of the mucosa, as well as nausea, vomiting, headaches, vertigo and visual disorders, including blindness (irreversible damage to the optic nerve), acidosis, spasms, narcosis and coma. There may be a delay in the onset of these effects after exposure. Further toxicology information in section 11 must be observed.
-----------------------------------	---

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media	Water spray. Carbon dioxide. dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂). Sand. Foam. Dry powder.
Unsuitable extinguishing media	Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Reactivity in case of fire	Formation of toxic gases is possible during heating or in case of fire. Decomposition products may be a hazard to health.
Hazardous decomposition products in case of fire	Carbon dioxide. Carbon monoxide.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
---------------------------	---

CFS-S SIL / CP 601S

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Protection during firefighting

Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Protective equipment

Wear recommended personal protective equipment.

Emergency procedures

Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Do not touch or walk on the spilled product. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment

For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.

Emergency procedures

Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and materials for containment and cleaning up

For containment

Absorb spilled material with sand or earth. Collect spillage.

Methods for cleaning up

Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Clean contaminated surfaces with an excess of water. On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures

Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Keep cool. Store in a dry place. Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.

Incompatible products

Strong bases. Strong acids.

Incompatible materials

Sources of ignition. Direct sunlight.

Storage temperature

5 – 25 °C

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

No additional information available

Exposure limit values for the other components

Additional information

The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

8.2. Monitoring methods

No additional information available

CFS-S SIL / CP 601S

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

8.3. Engineering controls

No additional information available

8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment Protective clothing. Safety glasses. Gloves. Avoid all unnecessary exposure.
 Hand protection Protective gloves. ISO 374-1. The permeation time is not the maximum wearing time!
 Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration. Wear protective gloves.

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	>0.3		EN ISO 374
	Nitrile rubber (NBR)	1 (> 10 minutes)	>0.4		EN ISO 374

Eye protection Chemical goggles or safety glasses

Type	Field of application	Characteristics	Standard
Safety glasses			EN 166, EN 170

Skin and body protection Wear suitable protective clothing

Respiratory protection No respiratory protection needed under normal use conditions. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Wear appropriate mask

Device	Filter type	Condition	Standard
Full face mask	ABEK		EN 136

Personal protective equipment symbol(s)



Environmental exposure controls

Avoid release to the environment.

Other information

Do not eat, drink or smoke when using this product. Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

Physical state	Liquid
Appearance	Pasty.
Molecular mass	Not determined
Colour	Various colours
Odour	slight
Odour threshold	Not determined
pH	≈ Not applicable
Evaporation rate	No additional information available
Relative evaporation rate (butylacetate=1)	No data available
Melting point / Freezing point	No additional information available
Boiling point	No data available
Flash point	Pasty; Not relevant
Auto-ignition temperature	> 400 °C (DIN 51794)
Decomposition temperature	> 300 °C (Lit)
Flammability	No additional information available
Vapour pressure	No additional information available
Relative density	No additional information available
Density	Density: 1.5 – 1.54 g/cm ³ 23°C, 1013hPa (ISO 1183-1 A)
Solubility	insoluble in water.

CFS-S SIL / CP 601S

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Partition coefficient n-octanol/water (Log Pow)	No data available
Viscosity, dynamic	> 1000000 mPa-s (Brookfield)
Explosive properties	No data available
Explosive limits	No additional information available
Minimum ignition energy	No data available
Explosion limits for released methanol	5.5 - 44%(V)

SECTION 10: Stability and reactivity

Reactivity	The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable under normal conditions. Not established.
Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use. Not established.
Conditions to avoid	None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.
Incompatible materials	Reacts with: water, basic substances and acids . Reaction causes the formation of: methanol.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Toxicity

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

CFS-S SIL / CP 601S	
LD50 oral rat	> 2000 mg/kg

diisobutoxy-bisethylacetoacetatitanate (83877-91-2)	
LD50 oral rat	> 5000 mg/kg bodyweight (Rat, Oral)

Skin corrosion/irritation	Not classified pH: ≈ Not applicable
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified

diisobutoxy-bisethylacetoacetatitanate (83877-91-2)	
STOT-single exposure	May cause drowsiness or dizziness. May cause respiratory irritation.

STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.
Other information	Hydrolysis product / impurity: Methanol (CAS 67-56-1) is readily and rapidly absorbed at all exposure routes and is toxic by all routes. Methanol may cause irritation of the mucosa, as well as nausea, vomiting, headaches, vertigo and visual disorders, including blindness (irreversible damage to the optic nerve), acidosis, spasms, narcosis and coma. There may be a delay in the onset of these effects after exposure.

CFS-S SIL / CP 601S

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

SECTION 12: Ecological information

12.1. Ecotoxicity

Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified
Soil toxicity	Not classified
Terrestrial vertebrate toxicity	Not classified
Terrestrial invertebrate toxicity	Not classified
Other information	Avoid release to the environment.

CFS-S SIL / CP 601S	
LD50 oral rat	> 2000 mg/kg
diisobutoxy-bisethylacetoacetatitanate (83877-91-2)	
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Reaction product)
LD50 oral rat	> 5000 mg/kg bodyweight (Rat, Oral)

12.2. Persistence and degradability

CFS-S SIL / CP 601S	
Persistence and degradability	Polymer component. biologically not degradable. Elimination by adsorption to activated sludge. The product of hydrolysis (methanol) is readily biodegradable.
diisobutoxy-bisethylacetoacetatitanate (83877-91-2)	
Persistence and degradability	Biodegradability: not applicable.

12.3. Bioaccumulative potential

CFS-S SIL / CP 601S	
Bioaccumulative potential	Polymer component. No bioaccumulation expected.
diisobutoxy-bisethylacetoacetatitanate (83877-91-2)	
Bioaccumulative potential	Bioaccumulation: not applicable.

12.4. Mobility in soil

CFS-S SIL / CP 601S	
Mobility in soil	No additional information available
diisobutoxy-bisethylacetoacetatitanate (83877-91-2)	
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available

SECTION 13: Disposal considerations

Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations.
Ecological information	Avoid release to the environment.

CFS-S SIL / CP 601S

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available			

14.6. Special precautions for user

Overland transport

No data available

Transport by sea

No data available

Air transport

No data available

Rail transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Hazardous Substances and New Organisms Act

HSNO Approval Number

HSR002544

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Issue date 12/11/2024
Revision date 12/11/2024
Supersedes 29/01/2019

CFS-S SIL / CP 601S

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Data sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

None.

Full text of H-statements	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

SDS_NZ_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.